

**To:** NEIBAUR, ELENA[Neibaur.Elena@epa.gov]; Yogi, David[Yogi.David@epa.gov]; Duarte, Romie[Duarte.Romie@epa.gov]; hafiz, carlin[Hafiz.Carlin@epa.gov]; DIAZ, ALEJANDRO[Diaz.Alejandro@epa.gov]  
**Cc:** Rogow, Michelle[Rogow.Michelle@epa.gov]  
**From:** Harris-Bishop, Rusty  
**Sent:** Thur 7/21/2016 12:19:25 AM  
**Subject:** RE: Final Documentation Package for Maywood residents

Hey Elena, sorry to just be getting to this. I'll take a look at it tomorrow and I'll work with the other CICs and Michelle and figure out how to get this finalized.

Thanks for your work on it!

Rusty

**From:** NEIBAUR, ELENA  
**Sent:** Wednesday, July 20, 2016 12:50 PM  
**To:** Harris-Bishop, Rusty <Harris-Bishop.Rusty@epa.gov>; Yogi, David <Yogi.David@epa.gov>; Duarte, Romie <Duarte.Romie@epa.gov>; hafiz, carlin <Hafiz.Carlin@epa.gov>; DIAZ, ALEJANDRO <Diaz.Alejandro@epa.gov>  
**Cc:** Rogow, Michelle <Rogow.Michelle@epa.gov>  
**Subject:** RE: Final Documentation Package for Maywood residents

Hi all,

I wanted to check in to see if people have had a chance to review the final documentation package draft. I want to see if someone can take the lead in following up with this item. I will be on leave from July 21-August 2<sup>nd</sup>.

Thanks,

Elena Neibaur

**From:** NEIBAUR, ELENA

**Sent:** Thursday, July 14, 2016 9:44 AM

**To:** Harris-Bishop, Rusty <[Harris-Bishop.Rusty@epa.gov](mailto:Harris-Bishop.Rusty@epa.gov)>; david yogi (Yogi.David@epa.gov) <[Yogi.David@epa.gov](mailto:Yogi.David@epa.gov)>; Duarte, Romie <[Duarte.Romie@epa.gov](mailto:Duarte.Romie@epa.gov)>; hafiz, carlin <[Hafiz.Carlin@epa.gov](mailto:Hafiz.Carlin@epa.gov)>; DIAZ, ALEJANDRO <[Diaz.Alejandro@epa.gov](mailto:Diaz.Alejandro@epa.gov)>

**Cc:** Rogow, Michelle <[Rogow.Michelle@epa.gov](mailto:Rogow.Michelle@epa.gov)>

**Subject:** Final Documentation Package for Maywood residents

Hi all,

There is one more pending item the Fruitland Magnesium Fire Incident Response: the Final Documentation Package for the residents on the north side. The outline has been approved by Unified Command and now the Final Documentation content for each section has to be populated. It would be helpful to get everyone's input and review on this. The residents were informed that we would provide a package in two weeks so if you all can provide your edits by next Wednesday July 20<sup>th</sup> the latest in order to meet that deadline. There is one attachment that has to be populated by us (the metal information) the other attachments the contractors will provide. I only filled out an example for the metal information attachment, please comment if you think this is useful and can continue to populate (as a reference I used the ATSDR site for the metal information <http://www.atsdr.cdc.gov/PHS/PHS.asp?id=60&tid=17>).

I have uploaded the document on SharePoint so we can edit one version. [Click here to access](#)

Thanks in advance!

Elena Neibaur

(415) 972-3275